## **Automobile Engineering Quiz Questions with Answers Pdf**

| 1. Which motorcycle has maximum power rating?                                  |
|--|
| a. Hero Honda  |
| b. Suzuki  |
| c. Bajaj   |
| d. Royal Enfield   |
| Ans: D   |
| 2. In an automobile engine, the temperature of the piston will be more at      |
| a. the crown of the piston   |
| b. the skirt of the piston   |
| c. the piston walls  |
| d. the piston pin  |
| Ans: A   |
| 3. Engine dynamo is usually driven by  |
| a. chain drive   |
| b. Gear drive  |
| c. Flat belt drive   |
| d. V-belt drive  |
| Ans: D   |
| 4. The starter motor is driven by  |
| a. Chain drive   |
| b. Gear drive  |
| c. Flat belt drive   |
| d. None of the above   |
| Ans: B   |
| 5. The device for smoothening out the power inpulses from the engine is called |
| a. Clutch  |
| b. Differential  |

| c. Flywheel  |
|--|
| d. Torque converter  |
| Ans: C   |
| 6. Which vehicle is generally provided with four wheel drive               |
| a. Ambassador car  |
| b. Standard wagon  |
| c. Metador   |
| d. Jeep  |
| Ans: Ds  |
| 7. Which one of the following is mounted between the engines and gear box? |
| a. Propeller shaft   |
| b. Differential gear   |
| c. Reduction gear  |
| d. clutch  |
| Ans: d   |
| 8. The heating value of petrol is  |
| a. 7000 kcal/kg  |
| b. 8000 kcal/kg  |
| c. 10400 kcal/kg   |
| d. 13000 kcal/kg   |
| Ans: C   |
| 9. Commonly used antifeeze solution in automobile is                       |
| a. carbon disulphide   |
| b. glycol  |
| c. ammonium chloride   |
| d. freon 12  |
| Ans; B   |
| 10. Which part is not common between the petrol and diesel engines         |

- a. air cleaner
- b. exhaust silencer
- c. battery
- d. fuel injector

Ans: D