

Environmental Engineering MCQ Questions and Answers Pdf

1. Turbidity of water is usually measured in terms of

- a. sodium scale
- b. silica scale
- c. cobalt scale.
- d. platinum scale

Ans: B

2. Out of the following metals, the least permissible percentage in drinking water is

- a. chromium
- b. copper
- c. zinc
- d. lead

Ans: A

3. Desalination is usually needed for

- a. well water
- b. rain water
- c. sea water
- d. river water

Ans: C

4. The rate at which atoms of radioactive sources disintegrate is measured in terms of

- a. curie
- b. atomic number
- c. wavelength
- d. frequency

Ans: A

5. Which fuel will have least air consumption per kg of fuel during consumption?

- a. Gasoline

- b. Benzol
- c. Spirit
- d. Lubricating oil

Ans : C

6. Sulphur dioxide can be measured by

- a. ultraviolet pulsed fluorescence
- b. flame photography
- c. permeation tube calibration
- d. any of the above

Ans; D

7. Which of the following is not a constituent of coal?

- a. hydrogen
- b. nitrogen
- c. inorganic matter....
- d. manganese

Ans: D

8. Chemical used to check the growth of algae in reservoirs is

- a. copper sulphate
- b. alum
- c. bleaching powder
- d. brine

Ans: C

9. Which of the following pollutant affects lungs?

- a. silica
- b. benzene
- c. lead
- d. adrin

Ans: A

10. Which of the following fuel has maximum resistance to detonation?

- a. toluene
- b. benzene
- c. iso-octane
- d. n-heptane

Ans: C

meritnotes.com